

The Scandinavian Journal of
*Clinical & Laboratory
Investigation*

EDITED BY
THE SCANDINAVIAN SOCIETY
FOR CLINICAL CHEMISTRY
AND CLINICAL PHYSIOLOGY

MANAGING EDITOR
O. Stokke

EDITORS

J. Hartiala	K. O. Pedersen
J. H. Henriksen	I. Romslo
E. Hultman	K. Rootwelt
M. Hørder	U-H. Stenman
K. Liewendahl	J. Waldenström

EDITORIAL SECRETARIES

K. Bjørø
T. A. Hagve

Scand. J. Clin. Lab. Invest. – Vol. 52 – 1992

BLACKWELL SCIENTIFIC PUBLICATIONS

Published for

Medisinsk Fysiologisk Forenings Forlag, Oslo by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
54 University Street, Carlton, Victoria 3053, Australia

© 1992 Medisinsk Fysiologisk Forenings Forlag, Institute of
Clinical Biochemistry, Rikshospitalet, N-0027 Oslo 1.

Printed and bound in Great Britain
by the Devonshire Press, Torquay

Authorization to photocopy for internal or personal use or
the internal or personal use of specific clients is granted by
Medisinsk Fysiologisk Forenings Forlag for libraries and
other users registered with the Copyright Clearance Center
(CCC) Transactional Reporting Service, provided that the
base fee of \$06.00 per copy is paid directly to the CCC,
27 Congress Street, Salem, MA 01970, USA. This consent
does not extend to other kinds of copying, such as copying
for general distribution, for advertising or promotional
purposes, for creating new collective works or for resale.
Special requests should be addressed to the Editor.
0036-5513/91 \$06.00.

No. 1

Original Articles

Metabolism of the aminoterminal propeptide of type III procollagen in cultures of human proximal tubular cells: <i>L. T. Jensen, H. Blæhr, C. B. Andersen, J. Risteli & I. Lorenzen</i>	1
Free plasma catecholamine levels in healthy subjects: a basal and dynamic study. The influence of age: <i>F. Blandini, E. Martignoni, G. V. Melzi d'Eril, L. Biasio, G. Sances, C. Lucarelli, V. Rizzo, A. Costa & G. Nappi</i>	9
Characterization of cellular and elevated serum phospholipase A ₂ activities with a comparison of two methods: <i>N-E. L. Saris, B. Steinbrückner, T. Thuren, M. L. T. Lalla, H. van den Bosch, P. K. J. Kinnunen & G. E. Hoffmann</i>	19
Iopentol in patients with chronic renal failure: its effects on renal function and its use as a glomerular filtration rate parameter: <i>K. J. Berg, F. Kolmannskog, P. E. Lillevold, K. P. Nordal, L. Ressem, K. Rootwelt & M. G. Svaland</i>	27
Flow cytometric analysis of reticulocytes using an RNA-binding fluorochrome: <i>G. K. Hansson, M. Andersson, H. Jarl & S. Stemme</i>	35
Prenatal factors and standardized specimen collection: influence of psychological stress: <i>B. Dugué, E. A. Leppänen, H-P. Zhou & R. Gräsbeck</i>	43
Co-variation of alanine aminotransferase levels with relative weight in blood donors: <i>G. Hetland, I. Holme & J. H. Strømme</i>	51
Angiotensinogen in chronic liver disease: <i>K. Sjöberg, R. Alm & S. Erikson</i>	57

Letter to the Editor	65
-----------------------------	----

Referees

List of Referees for 1991	67
----------------------------------	----

No. 2

Original Articles

A new protective solution for hypothermic storage of free vein grafts in cardiovascular surgery: <i>S. Solberg, T. Larsen, A. Småbrekke, J. H. Brox, K. Bertheussen, D. Sørli, B. Østerud & L. Jørgensen</i>	73
Lipid profile in 100 men with moderate hypertension treated for 1 year with atenolol or hydrochlorothiazide plus amiloride: a double-blind study: <i>J. E. Otterstad, G. Froeland, A. K. Wasenius Soeyland & J. M. Illingworth</i>	83
Lipoprotein(a) and acute-phase proteins in acute myocardial infarction: <i>L. Slunga, O. Johnson, G. H. Dahlén & S. Eriksson</i>	95
The reactivity of anti-porcine gastric inhibitory polypeptide (GIP) rabbit serum 65 with synthetic human and porcine GIP: <i>A. J. Moody, T. Krarup & U. Dahl Larsen</i>	103
Glucagon mediates arginine-induced somatostatin secretion from isolated rat pancreatic islets: <i>B. Vonen, J. Florholmen, D. Malm, P. Torjessen & P. G. Burhol</i>	107
Oxygen radicals and scavenger enzymes in ischaemia-reperfusion injury of skeletal muscle: <i>O. Reikerås & K. Ytrehus</i>	113
Oxidative metabolic status of blood monocytes and alveolar macrophages in the spectrum of human pulmonary tuberculosis: <i>S. Jaswal, R. Dhand, A. K. Sethi, K. K. Kohli & N. K. Ganguly</i>	119

Effect of conditioning of β -migrating very low-density lipoprotein with macrophages on the accumulation of cholesteryl esters in smooth muscle cells: <i>T. Nishide, N. Morisaki, K. Shirai, Y. Saito & S. Yoshida</i>	129
Binding of dietary cobalt to sarcoplasmic reticulum proteins: <i>B. Persson, E. Carlenor, N. Clyne, E. Hultman, L.-E. Lins, S. K. Pehrsson & J. Rydström</i>	137

No. 3

Original Articles

Studies of autacoid responsiveness and endothelium dependency in human umbilical arteries: <i>G. Haugen & T. Hovig</i>	141
Increased breathing gas density enhances cardiac workload: <i>G. W. Bergø & I. Tyssebotn</i>	151
Response of diastolic blood pressure to long-term sodium restriction is posture-related: <i>A. M. Jula, T. E. Rönemaa, S. J. Piha & P. Mäki</i>	159
A microtitre assay system to glucocorticoid receptors: decreased receptor concentration in myocardial infarction: <i>P. Entzian, A. H. Heer, G. Leimenstoll & J. Barth</i>	169
A simplified high-performance liquid chromatographic method for the determination of vitamin D ₃ , 25-hydroxyvitamin D ₂ and 25-hydroxyvitamin D ₃ in human serum: <i>L. Aksnes</i>	177
Both the polysaccharide and lipid A parts of endotoxins are needed for the inhibitory effects of endotoxins on cellular LDL uptake: <i>W. Liao & C. H. Florén</i>	183
Gene dosage and down-regulation of the α -interferon receptor: <i>A.-M. Gerdes, M. Hørdre & V. Bonnevie-Nielsen</i>	189
Enhanced urinary excretion of albumin in congestive heart failure: effect of ACE-inhibition: <i>H. Eiskjær, J. P. Bagger, C. E. Mogensen, A. Schmitz & E. B. Pedersen</i>	193
CA 125 serum levels in patients with non-neoplastic liver diseases. A clinical and laboratory study: <i>J. Collazos, J. Genolla & A. Ruibal</i>	201
Alteration of erythrocyte glutathione, cysteine and glutathione synthetase in alcoholic and non-alcoholic cirrhosis: <i>C. Loguercio, C. Del Vecchio Blanco, M. Coltorti & G. Nardi</i>	207
Acute development of low T ₃ syndrome and changes in pituitary-adrenocortical function after elective cholecystectomy in women: some differences between young and elderly patients: <i>P. Langer, E. Balázová, M. Vician, E. Martino, D. Ježová, S. Michalíková & R. Moravec</i>	215
Long-term supplementation with n-3 fatty acids, I: effect on blood lipids, haemotaxis and blood pressure: <i>E. B. Schmidt, H.-H. Lervang, K. Varming, P. Madsen & J. Dyerberg</i>	221
Long-term supplementation with n-3 fatty acids, II: effect on neutrophil and monocyte chemotaxis: <i>E. B. Schmidt, K. Varming, J. O. Pedersen, H.-H. Lervang, N. Grønnet, C. Jersild & J. Dyerberg</i>	229

No. 4

Original Articles

Sorbitol in isolation of rat pancreatic islets. Effects on islet yield, insulin secretion and accumulation of inositol phosphates: <i>B. Vonen, J. Florholmen, D. Malm & P. G. Burhol</i>	237
Magnesium deficiency diagnosed by an intravenous loading test: <i>L. Gullestad, L. Ø. Dolva, A. Waage, D. Falch, H. Fagerthun & J. Kjekhus</i>	245

Serum methylmalonic acid before and after oral L-isoleucine loading in cobalamin-deficient patients: <i>L. Moelby, K. Rasmussen, M. Krogh Jensen, L. H. Thomsen & G. Nielsen</i> ...	255
Clinical evaluation of the Takeda Medical (A & D) TM 2420 ambulatory blood pressure monitor. Practical experience and comparison with direct and indirect measurements: <i>A. Høegholm, I. Eidemak, K. S. Kristensen, L. E. Bang & N. H. Madsen</i> ...	261
Lipoprotein metabolism following gastroplasty in obese women: <i>H. von Schenck, L. Wallentin, C. Lennmarken & J. Larsson</i> ...	269
Evidence of decreased fibrinolytic activity in hypertensive premenopausal women: <i>G. Nordby, A. Haaland & I. Os</i> ...	275
Plasma homocysteine in women on oral oestrogen-containing contraceptives and in men with oestrogen treated prostatic carcinoma: <i>L. Brattström, B. Israelsson, A. Olsson, A. Andersson & B. Hultberg</i> ...	283
The control of anti-coagulation in acute dialyses with sensitive laboratory parameters. <i>G. Hafner, H. Swars, W. Ehrenthal, H. Schinzel, L. S. Weilemann & W. Prellwitz</i> ...	289
The lipoxygenase inhibitor nafazatrom inhibits stimulated prolactin secretion in cultured rat lactotrophs (GH ₄ C ₁ cells): <i>T. Bjørø, V. Larsen, K. Englund, P. A. Torjesen & E. Haug</i> ...	297
Reference intervals based on hospitalized 'healthy' patients and medical students in relation to analytical bias for serum potassium: <i>M. S. Djurhuus, A. Rohold, S. Vadstrup, P. Hytøft Petersen & A. Uldall</i> ...	305
Lack of evidence for altered complement and immunoglobulin levels in patients with sickle cell anaemia: <i>A. O. Mohamed, U. R. Nilsson, M. I. A. Omar & G. Ronquist</i> ...	313
Elevated HbA ₁ due to foetal haemoglobinaemia in children. A common artifact of certain ion-exchange chromatography methods: <i>J. Rajantie, T. Weber, U.-H. Stenman, A. Silvast & J. Mäenpää</i> ...	317
Reference intervals for trace elements in blood: significance of risk factors: <i>P. Grandjean, G. D. Nielsen, P. J. Jorgensen & M. Horder</i> ...	321
Effect of calcium on oxalate uptake and transport by the rat intestine: <i>V. Sharma & P. O. Schwillle</i> ...	339
Primary hyperparathyroidism or hypercalcaemia of malignancy?: <i>K. I. Birkeland, F. Gallefoss, S. Olsson & E. Haug</i> ...	347
Serum methylmalonic acid in uraemia: <i>L. Moelby, K. Rasmussen & H. Højgaard Rasmussen</i> ...	351

No. 5

Original Articles

Immunoassay for the determination of surfactant apoprotein (SP-A) in human amniotic fluid: comparison with other indices of assessing foetal lung maturity: <i>A. Wali, K. Dhall, S. Nath Sanyal, R. Juneja & S. Majumdar</i> ...	355
Effects of pivalic acid/containing prodrugs on carnitine homeostasis and on response to fasting in children: <i>E. Holme, U. Jodal, S. Linstedt & I. Nordin</i> ...	361
Subcellular localization of transferrin and pyrophosphate in liver cells after perfusion <i>in situ</i> or incubation <i>in vitro</i> : <i>T. Nilsen & I. Romslo</i> ...	373
Are ethane and pentane evolution and thiobarbituric acid reactivity specific for lipid peroxidation in erythrocyte membranes?: <i>O. M. Pitkänen</i> ...	379
Glomerular filtration rate in pregnancy: a study in normal subjects and in patients with hypertension, preeclampsia and diabetes: <i>E. Krutzén, P. Olofsson, S. E. Bäck & P. Nilsson-Ehle</i> ...	387

Proton magnetic resonance spectroscopy of fractionated plasma lipoproteins and reconstituted plasma from healthy subjects and patients with cancer: <i>T. Engan, K. S. Bjerve, A. L. Høe & J. Krane</i>	393
Enhanced urinary albumin excretion after 35 weeks of gestation and during labour in normal pregnancy: <i>A. Erman, A. Neri, R. Sharoni, M. Rabinov, B. Kaplan, J. B. Rosenfeld & G. Boner</i>	409
Charge-dependent renal uptake of beta ₂ -microglobulin in conscious rats: <i>A. Bernard, A. Ouled Amor & R. Lauwerys</i>	415
Comparison of the proportion of unconjugated to total serum cholic acid and the [¹⁴ C]-xylose breath test in patients with suspected small intestinal bacterial overgrowth: <i>K. Einarsson, M. Bergström, R. Eklöf, C. E. Nord & I. Björkhem</i>	425

Technical Note

Proposal of a new method to avoid misinterpretations in the evaluation of the leukergy test: <i>A. Galante, S. Carta, B. Domenici & A. Pietroiusti</i>	431
---	-----

No. 6

Editorial Review

Thyroid function tests: performance and limitations of current methodologies: <i>K. Liewendhal</i>	435
---	-----

Original Articles

Radio-immunoassay of atrial natriuretic peptide (ANP) and characterization of ANP immuno-reactivity in human plasma and atrial tissue: <i>B. F. Lindberg, L. G. Nilsson, S. Bergquist & K.-E. Andersson</i>	447
Calcium clamp technique: suppression of serum intact PTH by induced hypercalcaemia in normal man and primary hyperparathyroidism: <i>H. A. Sørensen, P. Schwarz, P. McNair, L. Hylstrup & I. Transbøl</i>	457
Cardiac systolic time intervals and thyroid hormone levels during treatment of hypothyroidism: <i>P. Nuutila, K. Irljala, M. Saraste, P. Seppälä & J. Viikari</i>	467
Levels of calprotectin (leukocyte L1 protein) during apheresis: <i>G. Hetland, H. B. Berntzen & M. K. Fagerhol</i>	479
Interaction of prostaglandins with adenosine diphosphate induced increase in cytosolic free calcium in human platelets: <i>K. P. Öhman, J. C. H. Yun & H. R. Keiser</i>	483
What causes impaired glucose tolerance to deteriorate or normalize?: <i>J. Cederholm & L. Wibell</i>	491
Erythrocyte sodium ion transport system in DOC-salt, Goldblatt, and spontaneously hypertensive rats: <i>M. Yokomatsu, K. Fujito, H. Numahata & H. Koide</i>	497
Measurement of CA 125 by an automated microparticle enzyme immunoassay; comparison with a manual enzyme immunoassay: <i>O. Mogensen & B. Mogensen</i>	507
Apolipoprotein(a) in insulin-dependent diabetic patients with and without diabetic nephropathy: <i>M.-A. Gall, P. Rossing, E. Hommel, A. I. Voldsgaard, P. Andersen, F. S. Nielsen, J. Dyerberg & H.-H. Parving</i>	513
Effect of short-termed pancreatic duct obstruction on the pancreatic subcellular organellar fragility and pancreatic lysosomal enzyme secretion in rabbits: <i>T. Hirano & T. Manabe</i>	523
Effects of nicotinic acid on glucose tolerance and glucose incorporation into adipose tissue in hypertriglyceridaemia: <i>G. Wahlberg, G. Walldius & S. Efendic</i>	537
Effects of nicotinic acid treatment on fatty acid composition of plasma lipids and adipose tissue in hyperlipidaemia: <i>G. Wahlberg & G. Walldius</i>	547

Presence of bile acid metabolites in serum, urine, and faeces in cirrhosis: <i>G. Jönsson, G. Hedenborg, G. Wisén & A. Norman</i>	555
--	-----

Technical Note

Analysis of unconjugated bilirubin in serum by reversed-phase high performance liquid chromatography: <i>Zhang Jianxin</i>	565
---	-----

No. 7

Original Articles

Atrial natriuretic factor in cats subjected to acute myocardial ischaemia: <i>T. H. Larsen, G. Greve, O. Myking, H. Vik & K. Grong</i>	571
Effect of emeriamine on exocrine and endocrine pancreatic function in normal and diabetic rats: <i>R. D. Duan, Y. Cheng & C. Erlanson-Albertsson</i>	579
Rapid C-reactive protein (CRP) measurements in the diagnosis of acute appendicitis: <i>K. Søndena, B. Buan, J. A. Søreide, A. Nysted, E. Andersen, I. Nesvik & A. Osland</i> ...	585
Transcapillary filtration of plasma protein in long-term type 1 (insulin dependent) diabetic patients: <i>A. Kofoed-Enevoldsen, L. Bent-Hansen & T. Deckert</i>	591
Serum concentrations and excretion of bile acids in cirrhosis: <i>G. Jönsson, G. Hedenborg, O. Wisén, A. Norman</i>	599
Biological variation of the leukocyte differential count quantities: <i>D. Dot, J. Miró & X. Fuentes-Arderiu</i>	607
Serum hyaluronan and aminoterminal propeptide of type III procollagen: variation with age: <i>U. Lindqvist & T. C. Laurent</i>	613
Myocardial adenine nucleotide depletion within 1h of acute coronary artery occlusion: <i>H. Brunvand, J. Westby, J. Lekven & K. Grong</i>	623
Pancreatic beta-cell function evaluated by intravenous glucose and glucagon stimulation. A comparison between insulin and C-peptide to measure insulin secretion: <i>A. Gottsäter, M. Landin-Olsson, P. Fernlund, B. Gullberg, A. Lernmark & G. Sundkvist</i>	631
Participation of serum albumin and LDL-cholesterol in impaired blood cell-filterability affected by white blood cells in patients with cerebral thrombosis: <i>H. Yoshida, S. Takamatsu, K. Satoh, T. Imaizumi, M. Hiramoto & B. Shoji</i>	641
Cobalamin binding proteins in human seminal plasma: <i>M. Hansen & E. Nexø</i>	647
Long-term smoking increases transcapillary escape rate of albumin: <i>E. W. Jensen, H. Bryde Andersen, S. L. Nielsen & N. J. Christensen</i>	653
Quantitation of urinary hydroxypyridinium cross-links from collagen by high-performance liquid chromatography: <i>G. Kollerup, G. Thamsborg, H. Bhatia & O. Helmer Sørensen</i>	657
Sensitive enzyme-linked immunosorbent assay for measurement of autoantibodies to human thyroid peroxidase: <i>P. Laurberg, K. M. Pedersen, E. Vittinghus & S. Ekelund</i>	663
Effect of lovastatin on lipoprotein fluidity in patients with hypercholesterolaemia: <i>Y. Levy, L. Klein, M. Aviram, G. J. Brook & U. Cogan</i>	671
Transferability of clinical laboratory data within a health care region: <i>E. Olafsdottir, T. Aronsson, T. Groth & C.-H. de Verdier</i>	679
Renal function in patients with untreated acute myocardial infarction: <i>U. Abildgaard, J. S. Andersen, G. Daugaard, J. Aldershvile, S. L. Nielsen, N. J. Christensen & P. P. Leyssac</i>	689

Long-term double-blind study on the influence of dietary fibres on faecal bile acid excretion in juvenile ulcerative colitis: <i>J. Ejderhamn, G. Hedenborg & B. Strandvik</i>	697
DNA synthesis and related enzymes altered in compensatory lung growth in rats: <i>S. Kuboi, A. Mizuuchi, T. Mizuuchi, T. Taguchi, W. M. Thurlbeck & K. Kida</i>	707
Enzymatic microdetermination of plasma and serum free fatty acids: <i>E. Jebens & O. M. Sejersted</i>	717
Taurine content and distribution in equine skeletal muscle: <i>M. Dunnett, R. C. Harris & D. A. Sewell</i>	725
Influence of dry heat treatment and anticoagulant on coupling of fibrinogen and fibronectin to von Willebrand factor in normal plasma: <i>K. H. Ellegård, K. Christiansen & J. Ingerslev</i>	731
Lipolytic effect of low-molecular-weight-heparin (Fragmin®) and heparin/dihydroergotamine in thromboprophylactic doses during total hip replacement: <i>T. Myrmet, T. S. Larsen & O. Reikerås</i>	741
Influence of acid-secretion blockers on gastric and hepatic alcohol dehydrogenase in rat: <i>G. Pozzato, M. Stebel, G. Lunazzi, M. Moretti & F. Franzin</i>	747
Phorbol myristate acetate-induced lung injury: involvement of reactive oxygen species: <i>M. Okuda, H.-C. Lee, B. Chance, P. J. Cohen & C. Kumar</i>	753
Mononuclear cell magnesium and retention of magnesium after intravenous loading in patients with acute myocardial infarction: <i>P. Urdal, K. Landmark & G. M. Basmo</i>	762

Technical Note

FK 383 DS, a new silica gel for the determination of unsaturated haptocorrin and transcobalamin II in serum: <i>C. Nielsen & G. Odgaard</i>	767
--	-----

Letters to the Editor

Interferences by cryoglobulins and cold agglutinins with blood cell measurement on coulter counter: <i>G. Banfi</i>	771
Comparative study of alkaline phosphatase in human and animal samples using methods based on AMP and DEA buffers: effects on quality control: <i>P. Masson & J. Holmgren</i>	773

No. 8

Original Articles

Elevated urinary β -hexosaminidase in patients with stroke: <i>B. Hultberg, A. Lindgren, L. Brattström & A. Isaksson</i>	777
Quantitative assessment of urinary protein and enzyme excretion—a diagnostic programme for the detection of renal involvement in type I diabetes mellitus: <i>O. Kordonouri, A. Jörres, C. Müller, I. Enders, G. M. Gahl & B. Weber</i>	781
Effect of insulin on permeability of lysosome membrane in primary monolayer hepatocyte culture of newborn rats under anoxia conditions: <i>N. Sivolinskaya, E. Poljakova, S. Nikulina & B. Korovkin</i>	791
Response of lipoprotein lipase to calorie intake in streptozotocin-induced diabetic rats: <i>H. Inadera, J. Tashiro, Y. Okubo, Y. Ishikawa, K. Shirai, Y. Saito & S. Yoshida</i>	797
Abnormal plasma noradrenaline response and exercise induced albuminuria in type I (insulin dependent) diabetes mellitus: <i>K. Hoogenberg & R. P. F. Dullaart</i>	803
Microcalorimetric studies on uraemic plasma: <i>L. Ljunggren, M. Monti, H. Thyssell & A. Grubb</i>	813

Prostanoid and thromboxane production by renal brush border membrane: <i>G. Morduchowicz, A. Erman, B. Chen-Gal, J. B. Rosenfeld & G. Boner</i>	819
Release of neutrophil proteinase 4 (3) and leukocyte elastase during phagocytosis and their interaction with proteinase inhibitors: <i>M. Bergenfeldt, L. Axelsson & K. Ohlsson</i> ...	823
Changes in calcanean bone mineral occurring spontaneously and during hormone replacement therapy in early post-menopausal women: <i>O. L. Svendsen, C. Hassager, U. Marslew & C. Christiansen</i>	831
Renal haemodynamics and tubular sodium handling following volume expansion with sodium chloride (NaCl) and glucose in healthy humans: <i>P. Stenvinkel, A. K. Saggat-Malik & A. Alvestrand</i>	837
Semi-quantitative measurement of myoglobinuria in trauma patients with a latex- agglutination test (Rapi-Tex®): <i>P. Thorgaard Andersen, P. Jørgen Jørgensen, L. Kjær Nielsen & J. Sorensen</i>	847
Contents of apolipoprotein A-I, A-II and B of the human serum fractions for high-density and low-density lipoproteins prepared by common precipitation methods: <i>S. Väisänen, J. Gävert, A. Julkunen, E. Voutilainen & I. Penttilä</i>	853
Blood glycated haemoglobin, serum fructosamine, serum glycated albumin and serum glycated total protein as measures of glycaemia in diabetes mellitus: <i>P. Koskinen, R. Erkkola, J. Viikari, K. Mattila & K. Irjala</i>	863
Selective increase in the urinary excretion of protein 1 (Clara cell protein) and other low molecular weight proteins during normal pregnancy: <i>A. Bernard, N. Thielemans, R. Lauwerys & M. Van Lierde</i>	871
Comparison of near-infrared light spectroscopy, bioelectrical impedance and tritiated water techniques for the measurement of fat-free mass in humans: <i>A. Franssila-Kallunki</i> ...	879

Indices

Index of key-words	887
Index of authors	889